

**BAYER FLYING INSECT KILLER**Version 2 / GB
1020000129781/7
Revision Date: 01.03.2010
Print Date: 05.07.2011**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name BAYER FLYING INSECT KILLER
Product code (UVP) 05685493
Usage Insecticide
Company Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Responsible Department Email: ukinfo@bayercropscience.com

Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Pressurised container, heating will cause pressure rise with a risk of bursting.
Extremely flammable.
Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Aerosol dispenser (AE)
d-Tetramethrin 0,15 %, d-Phenothrin 0,15 %

Hazardous components

Chemical Name	CAS-No. / EC-No.	Symbol(s)	R-phrases(s)	Concentration [%]
d-Tetramethrin	1166-46-7 214-619-0	N	R50/53	0.15
d-Phenothrin	188023-86-1	N	R50/53	0.15
Distillates (petroleum), hydrotreated light	64742-47-8 265-149-8	Xn	R65, R66	> 1.00 - < 10.00
Butane	106-97-8 203-448-7	F+	R12	> 1.00

For the full text of the R-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES



BAYER FLYING INSECT KILLER

Version 2 / GB
102000012978

2/7
Revision Date: 01.03.2010
Print Date: 05.07.2011

General advice

Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact

Wash off immediately with soap and plenty of water. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. Get medical attention if irritation develops and persists.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Notes to physician

Treatment

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which should not be used for safety reasons

High volume water jet

Specific hazards during fire fighting

In the event of fire the following may be released:
Carbon monoxide (CO)

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
In the event of fire, wear self-contained breathing apparatus.

Further information

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat.
Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Avoid contact with spilled product or contaminated surfaces.
Use personal protective equipment.
Remove all sources of ignition.

Environmental precautions

Do not allow to get into surface water, drains and ground water.
If spillage enters drains leading to sewage works inform local water company immediately.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**BAYER FLYING INSECT KILLER**Version 2 / GB
1020000129783/7
Revision Date: 01.03.2010
Print Date: 05.07.2011**Methods for cleaning up**

Clean contaminated floors and objects thoroughly, observing environmental regulations.
Keep in suitable, closed containers for disposal.

Additional advice

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE**Handling**

Advice on safe handling

No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.
Ensure adequate ventilation.

Advice on protection against fire and explosion

The product is extremely flammable.
Vapours may form explosive mixture with air.
Fire or intense heat may cause violent rupture of packages.
Keep away from heat and sources of ignition.

Storage

Requirements for storage areas and containers

Store in original container and out of the reach of children, preferably in a locked storage area.
Keep away from direct sunlight.
Protect from freezing.
Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Temperature tolerance max.
40 °C

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Butane	106-97-8	1,450 mg/m ³ / 600 ppm (TWA)	2007	EH40 WEL
Butane	106-97-8	1,810 mg/m ³ / 750 ppm (STEL)	2007	EH40 WEL

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.



BAYER FLYING INSECT KILLER

Version 2 / GB
102000012978

4/7
Revision Date: 01.03.2010
Print Date: 05.07.2011

Respiratory protection	No personal respiratory protective equipment normally required. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.
Hand protection	Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.
Eye protection	Wear goggles conforming to EN166 (Field of Use 5 or equivalent).
Skin and body protection	Wear standard coverall and type 6 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form aerosol

Safety data

Density ca. 0.81 g/cm³ at 20 °C

10. STABILITY AND REACTIVITY

Conditions to avoid	Extremes of temperature and direct sunlight.
Hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	LD50 (rat) > 10,000 mg/kg Test conducted with a similar formulation.
---------------------	---

**BAYER FLYING INSECT KILLER**Version 2 / GB
1020000129785/7
Revision Date: 01.03.2010
Print Date: 05.07.2011

Skin irritation	No skin irritation Test conducted with a similar formulation.
Eye irritation	No eye irritation Test conducted with a similar formulation.
Sensitisation	Non-sensitizing. Test conducted with a similar formulation.

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 0.010 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient tetramethrin.
Toxicity to fish	LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 0.0027 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient d-phenothrin.
Toxicity to daphnia	LC50 (Water flea (<i>Daphnia magna</i>)) 0.0043 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient d-phenothrin.

13. DISPOSAL CONSIDERATIONS**Product**

Disposal of the liquid product when not contained in the aerosol container by incineration in an appropriately licensed commercial incinerator.
Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Ensure aerosol container is empty before disposal.
Dispose of empty and cleaned packaging safely.

Waste key for the unused product

160504 gases in pressure containers (including halons) containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

UN-Number	1950
Labels	2.1
Packaging group	
Hazard no.	
Description of the goods	AEROSOLS
Tunnel Code	D

This classification is in principle not valid for carriage by tank vessel on inland waterways.
Please refer to the manufacturer for further information.

**BAYER FLYING INSECT KILLER**Version 2 / GB
1020000129786/7
Revision Date: 01.03.2010
Print Date: 05.07.2011**IMDG**

UN-Number	1950
Labels	2.1
Packaging group	
EmS	F-D , S-U
Marine pollutant	Marine Pollutant
Description of the goods	AEROSOLS (TETRAMETHRIN)

IATA

UN-Number	1950
Labels	2.1
Packaging group	
Description of the goods	AEROSOLS, FLAMMABLE

UK 'Carriage' Regulations

UN-Number	1950
Labels	2.1
Packaging group	
Hazard no.	
Description of the goods	AEROSOLS

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Hazard warning labelling compulsory

Hazardous components which must be listed on the label:

- d-Tetramethrin
- d-Phenothrin

Symbol(s)

F+	Extremely flammable
N	Dangerous for the environment

R-phrases(s)

R12	Extremely flammable.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)

S 2	Keep out of the reach of children.
S16	Keep away from sources of ignition - No smoking.
S23	Do not breathe spray.
S35	This material and its container must be disposed of in a safe way.
S51	Use only in well-ventilated areas.
S57	Use appropriate container to avoid environmental contamination.

CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise

